



Page Number	501-097
Effective	Sept 2017
Replaces	Dec 2015
Section	501

PART NAME	STANDARD MATERIALS	AVAILABLE OPTIONS
Casing, Heads, Relief Valve Cover, Relief Valve Cap	Ductile Iron: ASTM A536	
Liner, Discs	Cast Iron: ASTM A48	
Bearing Covers	Steel	
Bearings	Ball (Single Row), Grease Lubricated	
Bearing Locknut and Lockwasher	Steel	
Rotor & Shaft	Double End Keyed Shaft, 6-Vane Rotor	
Rotor	Ductile Iron: ASTM A536	
Shaft	High Strength Steel	
Relief Valve	Plated Cast Iron: ASTM A48	
Relief Valve Spring	Plated Steel	
Relief Valve Spring Setting	150 psi (10.34 bar) Differential Pressure Adjustable 126-150 psi (8.69 - 10.34 bar)	
O-Rings: Other than Mechanical Seal	Buna-N	
Gaskets: Bearing Cover	Fiber	
Vanes	Duravane – Full Size with Stainless Steel Wear Plate	
Push Rods LGLD4B, TLGLF4B	Non-metallic composite	
LGL4B	Case Hardened Steel	
Mechanical Seals		
Stationary O-Ring	Buna-N	
Stationary Seat	Hardened Steel	
Rotating O-Ring	Buna-N	
Rotating Seal Face	Carbon	
Seal Jacket	Plated Steel	
Seal Spring	Stainless Steel	
Gage Ports	1/4" NPT	

MATERIALS OF CONSTRUCTION

Models: LGL4B, LGLD4B, TLGLF4B

COMPANION FLANGES AND FLANGED ELBOWS

Pipe Connection		STANDARD	OPTIONAL
Intake Port	LGLD4B	4" Weld Flange, Steel: ASTM A216, WCB	3" NPT Flange, Ductile Iron: ASTM A536 3" Weld Flange, Steel: ASTM A216, WCB
	TLGLF4B	4", 300 lb. ANSI Mounting Flange	----
Auxiliary Intake Port	LGLD4B	----	----
	TLGLF4B	Blanking Flange, Ductile Iron: ASTM A536	3" NPT Flange, Ductile Iron: ASTM A536 3" Weld Flange, Steel: ASTM A216, WCB 4" Weld Flange, Steel: ASTM A216, WCB
Discharge Port	LGLD4B	3" Weld Flange, Steel: ASTM A216, WCB	3" NPT Flange, Ductile Iron: ASTM A536 4" Weld Flange, Steel: ASTM A216, WCB
	TLGLF4B	Two 2" NPT Flanges, Ductile Iron: ASTM A536	Two 2" Weld Flanges, Steel: ASTM A216, WCB

OPERATING LIMITS

Maximum Differential Pressure	125 psi (8.62 Bar) (Max. RV setting minus 25 psi / 1.7 Bar)	
Maximum Working Pressure	350 psi (24.13 Bar) for LPG and NH ₃ Service (Limited by U.L. and NFPA 58)	
Minimum Temperature	-25°F (-31°C)	
Maximum Speed	LGLD4B, TLGLF4B	800 RPM
	LGL4B	640 RPM

